

## Único FrontEnd

```
global
log /dev/log local0
log /dev/log local1 notice
chroot /var/lib/haproxy
stats socket /run/haproxy/admin.sock mode 660 level admin
stats timeout 30s
maxconn 4096
user haproxy
group haproxy
daemon

defaults
log global
option dontlognull
timeout connect 60s
timeout client 60s
timeout server 60s
errorfile 400 /etc/haproxy/errors/400.http
errorfile 403 /etc/haproxy/errors/403.http
errorfile 408 /etc/haproxy/errors/408.http
errorfile 500 /etc/haproxy/errors/500.http
errorfile 502 /etc/haproxy/errors/502.http
errorfile 503 /etc/haproxy/errors/503.http
errorfile 504 /etc/haproxy/errors/504.http

listen stats
bind :9000
mode http
stats enable
stats hide-version
stats realm Haproxy\ Statistics
stats uri /haproxy
stats auth admin:admin

# ---- HTTP/HTTPS FrontEnd ----

frontend wan-web-in
  bind *:80
  mode http
  option httplog
  option http-server-close
  option forwardfor
  http-request add-header X-Client-IP %[src]

  bind *:443
```

```

mode tcp
option tcplog
option ssl-hello-chk
acl tls req.ssl_hello_type 1
tcp-request inspect-delay 5s
tcp-request content accept if tls

    use_backend be-http-hacks4geeks      if { hdr_end(host) -i      hacks4geeks.com }
or { hdr_end(host) -i www.hacks4geeks.com }
    use_backend be-http-audio-hacks4geeks if { hdr_end(host) -i  audio.hacks4geeks.com }
    use_backend be-http-nube-hacks4geeks  if { hdr_end(host) -i  nube.hacks4geeks.com }
    use_backend be-http-video-hacks4geeks if { hdr_end(host) -i  video.hacks4geeks.com }

    use_backend be-https-hacks4geeks     if { req_ssl_sni -i      hacks4geeks.com }
or { req_ssl_sni -i www.hacks4geeks.com }
    use_backend be-https-audio-hacks4geeks if { req_ssl_sni -i  audio.hacks4geeks.com }
    use_backend be-https-nube-hacks4geeks  if { req_ssl_sni -i  nube.hacks4geeks.com }
    use_backend be-https-video-hacks4geeks if { req_ssl_sni -i  video.hacks4geeks.com }

# ---- HTTP BackEnds ----

backend be-http-hacks4geeks
    mode http
    server srv-http-hacks4geeks 192.168.1.10:80

backend be-http-audio-hacks4geeks
    mode http
    server srv-http-audio-hacks4geeks 192.168.1.10:80

backend be-http-nube-hacks4geeks
    mode http
    server srv-http-nube-hacks4geeks 192.168.1.10:80

backend be-http-video-hacks4geeks
    mode http
    server srv-http-video-hacks4geeks 192.168.1.10:80

# ---- HTTPS BackEnds ----

backend be-https-hacks4geeks
    mode tcp
    server srv-https-hacks4geeks 192.168.1.10:443

backend be-https-audio-hacks4geeks
    mode tcp
    server srv-https-audio-hacks4geeks 192.168.1.10:443

backend be-https-nube-hacks4geeks

```

```

mode tcp
server srv-https-nube-hacks4geeks 192.168.1.10:443

backend be-https-video-hacks4geeks
mode tcp
server srv-https-video-hacks4geeks 192.168.1.10:443

```

## Dos FrontEnds

```

global
log /dev/log      local0
log /dev/log      local1 notice
chroot /var/lib/haproxy
stats socket /run/haproxy/admin.sock mode 660 level admin
stats timeout 30s
maxconn 4096
user haproxy
group haproxy
daemon

defaults
log      global
option dontlognull
timeout connect 60s
timeout client 60s
timeout server 60s
errorfile 400 /etc/haproxy/errors/400.http
errorfile 403 /etc/haproxy/errors/403.http
errorfile 408 /etc/haproxy/errors/408.http
errorfile 500 /etc/haproxy/errors/500.http
errorfile 502 /etc/haproxy/errors/502.http
errorfile 503 /etc/haproxy/errors/503.http
errorfile 504 /etc/haproxy/errors/504.http

listen stats
bind :9000
mode http
stats enable
stats hide-version
stats realm Haproxy\ Statistics
stats uri /haproxy
stats auth admin:admin

# ---- HTTP FrontEnd ----

frontend wan-http-in
bind *:80

```

```

mode http
option http-server-close
option httplog
option forwardfor
http-request add-header X-Client-IP %[src]
http-request add-header HTTP_X_FORWARDED_FOR %[src]

use_backend be-http-hacks4geeks      if { hdr_end(host) -i      hacks4geeks.com }
or { hdr_end(host) -i www.hacks4geeks.com }
use_backend be-http-audio-hacks4geeks if { hdr_end(host) -i audio.hacks4geeks.com }
use_backend be-http-nube-hacks4geeks  if { hdr_end(host) -i  nube.hacks4geeks.com }
use_backend be-http-video-hacks4geeks if { hdr_end(host) -i video.hacks4geeks.com }

# ---- HTTPS FrontEnd ----

frontend wan-https-in
bind *:443
mode tcp
option tcplog
option ssl-hello-chk
acl tls req.ssl_hello_type 1
tcp-request inspect-delay 5s
tcp-request content accept if tls

use_backend be-https-hacks4geeks      if { req_ssl_sni -i      hacks4geeks.com } or
{ req_ssl_sni -i www.hacks4geeks.com }
use_backend be-https-audio-hacks4geeks if { req_ssl_sni -i audio.hacks4geeks.com }
use_backend be-https-nube-hacks4geeks  if { req_ssl_sni -i  nube.hacks4geeks.com }
use_backend be-https-video-hacks4geeks if { req_ssl_sni -i video.hacks4geeks.com }

# ---- HTTP BackEnds ----

backend be-http-hacks4geeks
mode http
server srv-http-hacks4geeks 192.168.1.10:80

backend be-http-audio-hacks4geeks
mode http
server srv-http-audio-hacks4geeks 192.168.1.10:80

backend be-http-nube-hacks4geeks
mode http
server srv-http-nube-hacks4geeks 192.168.1.10:80

backend be-http-video-hacks4geeks
mode http
server srv-http-video-hacks4geeks 192.168.1.10:80

```

```
# ---- HTTPS BackEnds ----  
  
backend be-https-hacks4geeks  
  mode tcp  
  server srv-https-hacks4geeks 192.168.1.10:443  
  
backend be-https-audio-hacks4geeks  
  mode tcp  
  server srv-https-audio-hacks4geeks 192.168.1.10:443  
  
backend be-https-nube-hacks4geeks  
  mode tcp  
  server srv-https-nube-hacks4geeks 192.168.1.10:443  
  
backend be-https-video-hacks4geeks  
  mode tcp  
  server srv-https-video-hacks4geeks 192.168.1.10:443
```



[@NiPeGun](#)

Técnico superior ASIR. Frente al teclado desde MS-DOS 6.22.

Más sobre mí (serio), [aquí](#).

Más sobre mí (no serio ☹), [aquí](#)









